

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	69128	(acceleration near3 (detect\$3 or sens\$3)) or accelerometer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:38
L2	659	1 same ((flexur\$3 or cantilever or flexible) near3 (beam or diaphragm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:47
L3	58	(73/504.15).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/28 06:58
L4	0	3 and (transimpedance near3 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:47
L5	5	2 and (transimpedance near3 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:12
L6	12	2 same (variable near3 capacit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:20
L7	162	capacit\$4 near3 transimpedance near3 amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:31
L8	266	(lone or single or one) near3 (plate near3 (accelerat\$3 or accelerometer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:37
L9	2	8 and (transimpedance near3 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:33
L10	3409	(lone or single or one) near3 (capacit\$3 near3 (sens\$3 or detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:57

L11	83	1 same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:38
L12	2	11 and (transimpedance near3 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:41
L13	429	(lone or single or one) near3 capacit\$3 near3 plate near3 (sens\$3 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:59
L14	3	13 and (transimpedance near3 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:40
L16	315	1 and (derivative near3 (sens\$3 or detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:42
L17	5	16 and (transimpedance near3 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:45
L18	814	1 same ((flexur\$3 or cantilever or flexible) near3 (beam or diaphragm or plate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:47
L20	8	18 and (transimpedance near3 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:59
L21	1	("5,948,981").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/28 07:50
L22	808	(lone or single or one) adj (capacit\$3 near3 (sens\$3 or detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 07:57

L23	3	22 and (transimpedance near3 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 08:05
L24	97	(lone or single or one) adj capacit\$3 near3 plate near3 (sens\$3 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 08:03
L25	45	1 and (variable near3 capacit\$3 near3 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/28 08:04
L28	2	25 and (transimpedance near3 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/28 08:06